EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5	device with setup with project and ("717"/$.ccls. "707"/$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/11 16:28
L2	23	(deploy$4 install$4 upload$4 upgrad$4 updat$4) with (database data$base) with (procedure project) same compil$4 and ("717"/$.ccls. "707"/$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/11 16:29
L4	2	device with setup with project. clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/11 16:35
L5	4	(deploy$4 install$4 upload$4 upgrad$4 updat$4) with (database data$base) with (procedure project) same compil$4.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/11 16:35
L6	21	(deploy$4 install$4 upload$4 upgrad$4 updat$4) with (database data$base) with (procedure project) same (delet$4 over$writ$4).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/11 16:35
L8	20	((deploy$4 install$4 load$4 download$4 down$load$4) near4 data$base) near4 stored near3 (stor$4 near3 procedure) and ((delet$4) (over$writ$4)) and ("717"/$.ccls. "707"/$.ccls.) and (@pd<"20031121" @ad<"20031121" @rlad<"20031121" @prad<"20031121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/11 16:38

L9	1	((deploy$4 install$4 load$4 download$4 down$load$4) near4 data$base) near4 stored near3 (procedur$4) same compil$4 and ((delet$4) (over$writ$4)) and ("717"/$.ccls. "707"/$.ccls.) and (@pd<"20031121" @ad<"20031121" @rlad<"20031121" @prad<"20031121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/11 16:38
L11	9	(database data4base) with (deploy$4 install$4) with (procedure project) with (device pda phone stub) and ("717"/$.ccls. "707"/$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/11 16:39
L12	2	((deploy$4 install$4 load$4 download$4 down$load$4) near4 stored near3 (procedur $4) same data$base).ab. and ("717"/$.ccls. "707"/$.ccls.) and (@pd<"20031121" @ad<"20031121" @rlad<"20031121" @prad<"20031121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/11 17:20
L13	18	(deploy$4 install$4 load$4 invok$4) near4 stored near3 (procedur$4 function routine sub$routine) with data$base and (over$writ$4 delet$4 remov$4).clm. and (@pd<"20031121" @ad<"20031121" @rlad<"20031121" @prad<"20031121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/11 17:22
L15	33	("6128757" "5524238" "5187794" "5297876" "5461624" "5467271" "5495558" "5742729" "5745390" "5745679" "5767851" "5781871" "5787471" "5794009" "5794250" "5826085" "5864482" "5878819" "5881380" "5881378" "5913022" "5907696" "5933350" "5946219" "5960410" "5974257" "5995982" "6032154" "6039245" "6065857" "6112024" "6134674" "6173437" "6182242" "6185385" "6224551" "6224551" "6243835"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/11 17:24

		"6287765" "6329139" "6336056" "6367056" "6370475" "6389464" "6433775" "6452870" "6456308" "6487493" "6842658" "7259696" "7330825" "20010002455" "20020077823" "20020103563" "20030061021" "20050114376" "20050114827" "20050262190" "20060101375" "20070083402" "5899990" "4908759" "5475843" "5790117" "5949993" "6006022" "6016394" "6115704" "6193518" "4524419" "4558413" "4831582" "4885706" "4967211" "4984176" "4989152" "5176153" "5187789" "5206950" "5208899" "5218529" "5220625" "5233513" "5247651" "5249260" "5249270" "5256976" "5257185" "5262906" "5283737" "5293615" "5295222" "5301270" "5301314" "5307499" "5309563" "5311438" "5313616" "5313636").pn. and ("717"/$.ccls. "707"/$. ccls.)					
L16	18	((deploy$4 install$4 load$4 download$4 down$load$4) near4 data$base) near4 stored near3 (procedur$4) and project and ("717"/$.ccls. "707"/$.ccls.) and (@pd<"20031121" @ad<"20031121" @rlad<"20031121" @prad<"20031121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/11 17:25
L18	1	((deploy$4 install$4 load$4 download$4 down$load$4) near4 data$base) near4 (procedur$4) and project. clm. and (@pd<"20031121" @ad<"20031121" @rlad<"20031121" @prad<"20031121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/11 17:25

L19	2	(delet$4 remov$4 purg$4) with (procedure) same (data $base database) and (setup with project).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/11 17:26
L20	3	(delet$4 remov$4 purg$4) with (procedure) same (data $base database) and (setup with project) and ("717"/$. ccls. "707"/$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/11 17:26
S28	2	"6358552".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 11:55
S29	2	"6415246".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 11:56
S30	2	"20050114827"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 12:04
S34	92	(deploy$4 install$4 load$4 invok$4) near4 stored near3 (procedur$4 function routine sub$routine) with data$base and (over$writ$4 delet$4 remov$4) and (717/101 "707"/ $.ccls.) and (@pd<"20031121" @ad<"20031121" @rlad<"20031121" @prad<"20031121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 12:27
S36	17	(deploy$4 install$4 load$4 download$4 down$load$4) near4 stored near3 (procedur $4) with data$base and trigger and (over$writ$4 delet $4 remov$4) and (717/101 "707"/$.ccls.) and (@pd<"20031121" @ad<"20031121" @rlad<"20031121" @prad<"20031121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 12:52

S37	314	stored near3 (procedur$4) with data$base and trigger and (over$writ$4 delet$4 remov$4) and (717/101 "707"/$.ccls.) and (@pd<"20031121" @ad<"20031121" @rlad<"20031121" @prad<"20031121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 13:13
S40	39	(deploy$4 install$4 load$4 download$4 down$load$4) near4 stored near3 (procedur $4) same data$base and (over$writ$4 delet$4 remov $4) and ("717"/$.ccls. "707"/$. ccls.) and (@pd<"20031121" @ad<"20031121" @rlad<"20031121" @prad<"20031121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 13:14
S45	6	((deploy$4 install$4 load$4 download$4 down$load$4) near4 stored near3 (procedur $4) same data$base).ab. and (@pd<"20031121" @ad<"20031121" @rlad<"20031121" @prad<"20031121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/11 11:19
S46	3	((deploy$4 install$4 load$4 download$4 down$load$4) near4 stored near3 (procedur $4) same data$base).ti. and (@pd<"20031121" @ad<"20031121" @rlad<"20031121" @prad<"20031121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/11 11:21
S47	1	((deploy$4 install$4 load$4 download$4 down$load$4) near4 stored near3 (procedur $4) same data$base).ti. and (delet$4 over$writ$4 remov $4) and (@pd<"20031121" @ad<"20031121" @rlad<"20031121" @prad<"20031121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/11 11:21
S48	1	((deploy$4 install$4 load$4 download$4 down$load$4) near4 device near3 data $base).ti. and (delet$4 over $writ$4 remov$4) and (@pd<"20031121" @ad<"20031121" @rlad<"20031121" @prad<"20031121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/11 11:23

S49	22	((deploy$4 install$4 load$4 download$4 down$load$4) near4 device near3 data $base).ab. and (delet$4 over $writ$4 remov$4) and (@pd<"20031121" @ad<"20031121" @rlad<"20031121" @prad<"20031121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/11 11:23
S52	65	((deploy$4 install$4 load$4 download$4 down$load$4) near4 data$base) near4 stored near3 (procedur$4) and (@pd<"20031121" @ad<"20031121" @rlad<"20031121" @prad<"20031121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/11 11:30
S53	24	((deploy$4 install$4 load$4 download$4 down$load$4) near4 data$base) near4 stored near3 (procedur$4) and trigger and (@pd<"20031121" @ad<"20031121" @rlad<"20031121" @prad<"20031121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/11 11:30
S54	32	((deploy$4 install$4 load$4 download$4 down$load$4) near4 data$base) near4 stored near3 (procedur$4) and project and (@pd<"20031121" @ad<"20031121" @rlad<"20031121" @prad<"20031121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/11 11:33
S56	1	((deploy$4 install$4 load$4 download$4 down$load$4) near4 data$base) near4 stored near3 (procedur$4) same compil$4 and (@pd<"20031121" @ad<"20031121" @rlad<"20031121" @prad<"20031121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/11 11:36
S58	1	((deploy$4 install$4 load$4 download$4 down$load$4) near4 data$base) near4 stored near3 (procedur$4) same compil$4 and (@pd<"20031121" @ad<"20031121" @rlad<"20031121" @prad<"20031121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/11 13:33

S60	32	((deploy$4 install$4 load$4 download$4 down$load$4) near4 data$base) near4 stored near3 (procedur$4) and project and (@pd<"20031121" @ad<"20031121" @rlad<"20031121" @prad<"20031121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/11 13:37
S61	24	((deploy$4 install$4 load$4 download$4 down$load$4) near4 data$base) near4 stored near3 (procedur$4) and trigger and (@pd<"20031121" @ad<"20031121" @rlad<"20031121" @prad<"20031121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/11 13:37
S62	65	((deploy$4 install$4 load$4 download$4 down$load$4) near4 data$base) near4 stored near3 (procedur$4) and (@pd<"20031121" @ad<"20031121" @rlad<"20031121" @prad<"20031121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/11 13:38
S63	23	((deploy$4 install$4 load$4 download$4 down$load$4) near4 device near3 data $base).ab. and (delet$4 over $writ$4 remov$4) and (@pd<"20031121" @ad<"20031121" @rlad<"20031121" @prad<"20031121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/11 13:38
S64	1	((deploy$4 install$4 load$4 download$4 down$load$4) near4 device near3 data $base).ti. and (delet$4 over $writ$4 remov$4) and (@pd<"20031121" @ad<"20031121" @rlad<"20031121" @prad<"20031121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/11 13:38
S65	3	((deploy$4 install$4 load$4 download$4 down$load$4) near4 stored near3 (procedur $4) same data$base).ti. and (@pd<"20031121" @ad<"20031121" @rlad<"20031121" @prad<"20031121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/11 13:39

S66	6	((deploy$4 install$4 load$4 download$4 down$load$4) near4 stored near3 (procedur $4) same data$base).ab. and (@pd<"20031121" @ad<"20031121" @rlad<"20031121" @prad<"20031121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/11 13:39
S67	39	(deploy$4 install$4 load$4 download$4 down$load$4) near4 stored near3 (procedur $4) same data$base and (over$writ$4 delet$4 remov $4) and ("717"/$.ccls. "707"/$. ccls.) and (@pd<"20031121" @ad<"20031121" @rlad<"20031121" @prad<"20031121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/11 13:42
S68	17	(deploy$4 install$4 load$4 download$4 down$load$4) near4 stored near3 (procedur $4) with data$base and trigger and (over$writ$4 delet $4 remov$4) and (717/101 "707"/$.ccls.) and (@pd<"20031121" @ad<"20031121" @rlad<"20031121" @prad<"20031121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/11 13:43
S70	1	((deploy$4 install$4 load$4 download$4 down$load$4) near4 data$base) near4 stored near3 (procedur$4) same compil$4 and ((delet$4) (over$writ$4)) and (@pd<"20031121" @ad<"20031121" @rlad<"20031121" @prad<"20031121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/11 13:45
S71	21	((deploy$4 install$4 load$4 download$4 down$load$4) near4 data$base) near4 stored near3 (stor$4 near3 procedure) and ((delet$4) (over$writ$4)) and (@pd<"20031121" @ad<"20031121" @rlad<"20031121" @prad<"20031121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/11 13:47

1/11/2009 5:37:06 PM
C:\ Documents and Settings\ itecklu\ My Documents\ EAST\ Workspaces\ 10718951 .wsp